


Автор:

10.11.14 02:34 -

10/11/2014

Реклама:



Пост:

Бывают такие ситуации, когда у вас в руках только мобильный телефон, с которого возникает необходимость перезагрузить виртуальную машину на хосте VMware ESXi. Например, у вас в инфраструктуре что-то случилось, но вы имеете доступ к ней через VPN со своего айфона.

Если у вас есть доступ по SSH, то проблему решить весьма просто, как это описано [ВОТ тут](#)

(а также в

[KB 1014165](#)

). Скачиваем бесплатное приложение Server Auditor по

[этой ссылке](#)


(если у вас андроид - то по

[этой](#)

).

Автор:

10.11.14 02:34 -



Благодаря этому можно получить доступ к SSH-консоли виртуальной машины (если она не имеет World ID

```
World ID: 3705
Process ID: 0
VMX Cartel ID: 3702
UUID: 00000000-0000-0000-0000-000000000000
Display Name: HOU CERT
Config File: C:\Program Files\HouCert\HouCert.exe
```

```
World ID: 3804  
Process ID: 0  
VMX Cartel ID: 3803  
UUID: [REDACTED]  
[REDACTED]  
Display Name: vCenter Server  
Config File: [REDACTED]
```

```
~ # esxcli vm process kill -t soft -w 3804
```



Наши специалисты помогут вам решить все вопросы, связанные с получением с

Автор:

10.11.14 02:34 -

```

17      View Security Server      [HP_datastore1] View Security Server/Win2008
Security VM      windows7Server64Guest  vmx-08      vSecurity Server in
on on default)
18      View Connection Server    [HP_datastore1] View Connection Server/View C
Connection Server VM      windows7Server64Guest  vmx-08      vConnection Server
& Web Admin Interface

18      vCenter Server            [HP_datastore1] vCenter Server/Win2008 Server
.vmx              windows7Server64Guest  vmx-08      vCenter Server for
View Desktops

```

```

1      VMXDATA      [HP_datastore1] VMXDATA/Win2008 VMXDATA VM
windows7Server64Guest  vmx-08      VMXDATA - 18 String

```

```

~ # vim-cmd vmsvc/power.state 18      OOPS!

```

```

Invalid command 'vmsvc/power.state'.

```

```

~ # vim-cmd vmsvc/power.getstate 18

```

```

Retrieved runtime info

```

```

Powered off

```

```

~ # vim-cmd vmsvc/power.on 18

```

```

Powering on VM:

```

```

~ #

```

```

home end ins del pgUp pgDn

```

```

vim-cmd vmsvc/power.on 18

```

```

on on default)
18      View Connection Server    [HP_datastore1] View Connection Server/View C
Connection Server VM      windows7Server64Guest  vmx-08      vConnection Server
& Web Admin Interface

```

```

18      vCenter Server            [HP_datastore1] vCenter Server/Win2008 Server
.vmx              windows7Server64Guest  vmx-08      vCenter Server for
View Desktops

```

```

1      VMXDATA      [HP_datastore1] VMXDATA/Win2008 VMXDATA VM
windows7Server64Guest  vmx-08      VMXDATA - 18 String

```

```

~ # vim-cmd vmsvc/power.state 18

```

```

Invalid command 'vmsvc/power.state'.

```

```

~ # vim-cmd vmsvc/power.getstate 18

```

```

Retrieved runtime info

```

```

Powered off

```

```

~ # vim-cmd vmsvc/power.on 18

```

```

Powering on VM:

```

```

~ # vim-cmd vmsvc/power.getstate 18

```

```

Retrieved runtime info

```

```

Powered on

```

```

~ #

```

```

home end ins del pgUp pgDn

```

For more on VMware ESX/ESXi commands, please refer to the <http://www.thin.kiev.ua/2014/11/10/vmware-esx-esxi-commands/> article.